

Stormwater Pollution Prevention Plan

Millstone Township

Monmouth County

NJG0153532

Annual Review Date: August 12, 2024

Stormwater Program Coordinator: Peter R. Avakian, P.E.

Table of Contents

Form 1 – Team Members	3
Form 2 – Revision History	4
Form 3 – Public Announcements	5
Form 4 – Post-Construction Stormwater Management in New Development and Redevelopment....	6
Form 5 – Ordinances.....	8
Form 6 – Street Sweeping.....	9
Form 7 – MS4 Infrastructure.....	10
Form 8 – Community-wide Measures	13
Form 9 – Municipal Maintenance Yards & Other Ancillary Operations.....	14
Form 10 – Training	17
Form 11 – MS4 Mapping.....	20
Form 12 – Watershed Improvement Plan.....	21

Form 1 – Team Members

Stormwater Program Coordinator (SPC)			
Name and Title		<i>Peter R. Avakian, P.E.</i>	
Phone	<i>(732) 922-9229</i>	Email	<i>mmariano@leonsavakian.com</i>
Individual(s) Responsible for Major Development Project Stormwater Management Review			
Name and Title		<i>Matt Shafai, P.E. Township Engineer</i>	
Phone	<i>(732) 922-9229</i>	Email	<i>mattshafai@aol.com</i>
Name and Title			
		Email	
Other Municipal Stormwater Team Members			
Name and Title		<i>Dan Specht Director of Public Works</i>	
Phone	<i>(732) 446-6774</i>	Email	<i>d-specht@millstonenj.gov</i>
Name and Title			
Phone		Email	
Name and Title			
Phone		Email	
Shared/Contracted Service Providers			
Provider Name	Service Provided	Term of Service	
<i>Monmouth County</i>	<i>Vehicle maintenance and repair</i>	<i>Renewed Annually</i>	
<i>Monmouth County</i>	<i>Vehicle washing</i>	<i>Renewed Annually</i>	

Form 2 – Revision History

Revision Date	Form # Changed	Reason for Revision (Updates to staff, policy, webpage, etc.)
<i>4/17/2024</i>	<i>Ordinance 24-10</i>	<i>Stormwater Control Ordinance</i>
<i>12/6/2023</i>	<i>Ordinance 23-16</i>	<i>Tree Removal</i>
<i>12/6/2023</i>	<i>Ordinance 23-18</i>	<i>Privately Owned Self Storage</i>

Form 3 – Public Announcements
Part IV.B. and C.

1. Provide the link to the dedicated stormwater webpage for your municipality.
<i>https://www.millstonenj.gov/stormwater-management</i>
2. List the name and title of person(s) responsible for stormwater webpage postings/updates.
<i>Kathleen Hart, Municipal Clerk</i>
3. List the newspapers, social media outlets, websites, direct mailings (Email or postal), and other communication approaches typically used to inform/educate the public on stormwater program information and related events/activities.
<i>Public education and outreach events are advertised on the Township website at https://www.millstonenj.gov/ and with fliers and public announcements at Township Committee meetings. Millstone Township also publishes a Township Newsletter which is available on the Township website at: https://www.millstonenj.gov/visiting/newsletters. Additional educational materials are available to the public at the Municipal Building located at 470 Stage Coach Road.</i>

Form 4 – Post-Construction Stormwater Management in New Development and Redevelopment

Part IV.E.

1. How does the municipality define “major development”? If it is different from the definition in N.J.A.C. 7:8, explain the difference.

As per Millstone Township Stormwater Control Ordinance # 21-01, modified under Ordinance #24-10 “Major development” means an individual “development”, as well as multiple developments that individually or collectively result in:

- 1. The disturbance of one-half acre or more of land since February 2, 2004;*
- 2. The creation of 5,000 square feet or more of “regulated impervious surface” since February 2, 2004;*
- 3. The creation of 5,000 square feet or more of “regulated motor vehicle surface” since March 2, 2021; or*
- 4. A combination of 2 and 3 above that totals an area of 5,000 square feet or more. The same surface shall not be counted twice when determining if the combination area equals 5,000 square feet or more.*

Major development includes all developments that are part of a common plan of development or sale (for example, phased residential development) that collectively or individually meet any one or more of Subsection 1, 2, 3, or 4 above. Projects undertaken by any government agency that otherwise meet the definition of "major development" but which do not require approval under the Municipal Land Use Law, N.J.S.A. 40:55D-1 et seq., are also considered "major development."

The definition of “Major Development” in Millstone Township Stormwater Control Ordinance # 21-01 differs from the definition of “Major Development” in N.J.A.C. 7:8. The Millstone Township Stormwater Control Ordinance has lower thresholds necessary to meet the definition of “Major Development”.

2. Is the municipality’s stormwater control ordinance (SCO) the same as or more stringent than NJDEP’s model SCO? If more stringent, explain the difference.

Millstone Township Stormwater Control Ordinance #21-01, modified under Ordinance #24-10, is more stringent than the NJDEP model Stormwater Control Ordinance. The thresholds necessary to meet the definition of “Major Development” are lower than in the NJDEP model stormwater control ordinance.

<p>3. Describe the process for reviewing major development project applications for compliance with the SCO and Residential Site Improvement Standards (RSIS).</p>
<p><i>The Planning Board Engineer reviews all major development projects for compliance with the Stormwater Management Rules (N.J.A.C. 7:8), and the Millstone Township Stormwater Control Ordinance and/or the Residential Site Improvement Standards for stormwater management, as applicable. If the project is compliant, a recommendation for Approval is made to the Planning Board.</i></p>
<p>4. Does your municipality have a mitigation plan included in your Municipal Stormwater Management Plan and Stormwater Control Ordinance? Indicate the location of records of all variances granted.</p>
<p><i>Yes, the Millstone Township Municipal Stormwater Management Plan includes a Mitigation Plan and the Millstone Township Stormwater Control Ordinance addresses conditions that must be met to grant a waiver or variance from N.J.A.C. 7:8-5.3. No variances have been granted to date.</i></p>
<p>5. Indicate the dates of each iteration of the township’s Stormwater Control Ordinance, starting with the initial adoption and including revisions.</p>
<p><i>Stormwater Control Ordinance #04-14 Adopted: 6/16/2004 Stormwater Control Ordinance #20-06 Adopted: 3/18/2020 Stormwater Control Ordinance #21-01 Adopted: 2/17/2021 Stormwater Control Ordinance #24-10 Adopted: 7/17/2024</i></p>
<p>6. Indicate the dates of each iteration of the township’s Municipal Stormwater Management Plan, starting with the initial adoption and including revisions.</p>
<p><i>Millstone Township Municipal Stormwater Management Plan Initial adoption: 4/1/2005 Revised: 3/21/2008</i></p>

Form 5 – Ordinances

Part IV.F.1.

Ordinance	Date Adopted	Was the DEP model adopted without change? If not, explain how the municipality's is more stringent.	Entity Responsible for Enforcement	Fees & Fines
1. Pet Waste	12/7/2005	<i>Adopted without change</i>	<i>Code Enforcement</i>	<i>Up to \$2,000</i>
2. Wildlife Feeding	12/7/2005	<i>Adopted without change</i>	<i>Code Enforcement/ Animal Control</i>	<i>Up to \$2,000</i>
3. Litter Control	12/7/2005	<i>Adopted without change</i>	<i>Code Enforcement/ State Police</i>	<i>Up to \$2,000</i>
4. Improper Disposal of Waste	12/7/2005	<i>Adopted without change</i>	<i>Code Enforcement/ State Police</i>	<i>Up to \$2,000</i>
5. Yard Waste	12/7/2005	<i>Adopted without change</i>	<i>Code Enforcement</i>	<i>Up to \$2,000</i>
6. Private Storm Drain Inlet Retrofitting	12/15/2010	<i>Adopted without change</i>	<i>Code Enforcement</i>	<i>Up to \$2,000</i>
7. Illicit Connections	12/7/2005	<i>Adopted without change</i>	<i>Code Enforcement</i>	<i>Up to \$2,000</i>
8. Privately-Owned Salt Storage		<i>Pending adoption</i>	<i>Code Enforcement</i>	<i>\$ ___</i>
9. Tree Removal- Replacement		<i>Adopted without change</i>	<i>Code Enforcement Zoning Officer</i>	<i>Up to \$2,000</i>
<p>List any additional stormwater-related ordinances the municipality has adopted that address issues beyond the scope of the MS4 permit. Include adoption date, entity responsible for enforcement, and related fees and fines.</p>				
<p><i>Refuse Container/Dumpster Ordinance - Initial adoption: 12/15/2010 Enforcement Entity: Code Enforcement Officer or any law enforcement officer Fees and fines: Up to \$2,000</i></p>				
<p>Indicate the location of records associated with ordinances and related violations and enforcement actions below.</p>				
<p><i>Records associated with ordinances are located in the Municipal Clerk's office and records related to enforcement actions are located in the Code Enforcement office.</i></p>				

Form 6 – Street Sweeping

Part IV.F.2.a.i. and ii.

1. Provide a written description and/or attach a map outlining the sweeping schedule for the following:

- Segments of municipal roads with storm drain inlets that discharge to surface water (required at least 3 times each year)
- Segments of municipal roads that do not have storm drain inlets but do discharge to surface water (required at least 1 times each year)

Note: Only asphalt and concrete roads need to be swept. Roads that do not have storm drain inlets and do not discharge to surface water do not need to be swept.

At this time Millstone Township is not required to sweep any municipally owned or operated streets or roads.

The new triannual sweeping schedule will be implemented on or before January 1, 2026 for all municipally owned or operated streets with storm drain inlets that discharge to surface waters. Annual street sweeping will also be implemented on or before January 1, 2026 for all municipally owned or operated streets that do not have storm drain inlets that discharge to surface water.

2. Indicate if sweeping work is outsourced and if so, describe the arrangement.

No street sweeping work is outsourced in Millstone Township.

Form 7 – MS4 Infrastructure

Part IV.F.2-4. and Part IV.G.2-3.

1. Municipal Storm Drain Inlets

- a. Describe how you ensure that municipal inlets without permanent wording cast into the design have been properly labelled.
- b. Describe how you ensure that municipal and private storm drain inlets have been retrofitted.
- c. Describe how you ensure that newly installed storm drain inlets include corresponding catch basins or other BMPs to collect solids.
- d. Describe when and how you conduct inspections of storm drain inlets and the criteria used to determine when they need to be cleaned.

- a. The Millstone Township DPW periodically conducts drive-by inspections of the storm drain inlets in the Township. At the same time, the condition of labelling on storm drain inlets without permanent wording cast into the design is evaluated. Non-permanent storm drain inlet labels found to be missing or damaged are scheduled for repair or replacement.*
- b. As part of the Annual Road Resurfacing Program, municipally owned or operated storm drain inlets are retrofitted or replaced, if needed, when the road is resurfaced to meet the solids and floatable materials control standards in the Millstone Township stormwater control ordinance. Millstone Township ordinance #10-31 requires that storm drain inlets on private property be retrofitted or replaced to meet the design standard as specified in the ordinance when the roadway is repaved, repaired, resurfaced, reconstructed or altered.*
- c. As part of the review process, the Township Engineer checks the plans submitted for road projects and major development projects to confirm that new storm drain inlets comply with the applicable design standards.*
- d. The Millstone Township DPW periodically conducts drive-by inspections of the storm drain inlets. If debris is present the grate and surrounding area is cleaned at that time or scheduled for cleaning within one week.*

2. Municipal Catch Basins

- a. Describe when and how you conduct inspections of catch basins.
- b. Describe the criteria used to determine when catch basins need to be cleaned.

- a. A minimum of 20% of the catch basins are inspected annually on a rotating schedule such that all catch basins are inspected at least once every 5 years.*
- b. Catch basins that are approximately 50% filled with debris are scheduled for cleaning.*

3. Municipal Conveyance System

Describe when and how inspections of MS4 conveyance systems are conducted, and the criteria used to determine when they need to be cleaned. Include a description of the equipment and techniques used.

The Millstone Township DPW conducts periodic inspections of the MS4 conveyance system throughout the year. These inspections are often conducted in conjunction with stream scouring and/or illicit connection inspections. Observed or reported localized street flooding may also trigger an inspection of the conveyance system. If an obstruction is found the line may be televised and water-jetted to relieve the blockage.

4. Municipal Outfall Inspections – Stream Scouring

Describe the program in place to detect, investigate, and control localized stream scouring from stormwater outfalls. Include a description of the equipment and techniques used.

There are 266 municipally owned or operated stormwater outfalls in Millstone Township. Each year at least 20% of the outfalls are inspected for stream scouring. Outfalls with scouring are prioritized for repair or restoration within the constraints of the existing budget and certified annually.

5. Municipal Outfall Inspections – Illicit Discharge Detection and Elimination

Describe the program in place for conducting visual dry weather inspections of municipally owned or operated outfalls. Include a description of the equipment and techniques used. Record cases of illicit discharges using the DEP’s Illicit Connection Inspection Report Form from the Department’s main stormwater webpage.

There are 266 municipally owned or operated stormwater outfalls in Millstone Township. Each year at least 20% of the outfalls are visually inspected for evidence of a dry weather flow. If a dry weather flow is confirmed additional physical information is collected and an investigation is conducted. An Illicit Connection Inspection Report Form is completed to assist with the determination of the source of the dry weather flow.

6. Other Municipal Infrastructure

List the types of MS4 infrastructure in your town that require inspection but are not noted above in items 1-5. Describe when and how you conduct inspections of this infrastructure and the criteria used to determine when they need to be maintained and/or cleaned.

Infiltration basins - The Township of Millstone maintains a list of stormwater facilities owned or operated by the Township. To the extent practicable with existing resources, the facilities are inspected to ensure proper function and operation and certified annually. Facilities found not to be functioning properly are scheduled for the necessary preventative and corrective maintenance and/or repairs.

7. Stormwater Facilities Not Owned or Operated by the Municipality

Describe your program for ensuring adequate long-term cleaning, operation, and maintenance of stormwater facilities not owned or operated by the municipality. This should include your plan for ensuring annual inspections are being done on these private properties and describe how you record the locations and logs associated with private infrastructure.

The Township of Millstone maintains a list of stormwater facilities not owned by the Township. To the extent practicable with existing resources, these facilities are inspected and deficiencies brought to the attention of the owner/operator. Follow-up inspections are conducted to insure compliance.

8. Infrastructure Records

Indicate the location of records related to stormwater infrastructure inspection, cleaning, maintenance, and repair activities.

Records associated with the inspection, cleaning, maintenance, and repair of stormwater infrastructure are kept on file in the Public Works office.

Form 8 – Community-wide Measures

Part IV.F.2.

1. Herbicide Application Management Describe your program for preventing herbicides from being washed into the waters of the State and to prevent erosion caused by de-vegetation.
<i>Not applicable. The Millstone Township DPW does not spray along roadsides for weed control.</i>
2. Excess Deicing Material Management Describe your program for ensuring that excess salt piles are removed in a timely manner after storm events.
<i>If present, excess salt piles that remain on roadways or in parking areas are removed within 3 days after the storm event is over.</i>
3. Roadside Vegetative Waste Describe your program for ensuring proper pickup, handling, storage, and disposal of wood waste and yard trimmings generated by the permittee along municipal roads or on municipal properties (trimming trees, mowing, etc.).
<i>Wood waste and yard trimmings generated along municipal roads and on municipal property by the permittee are disposed of as they are generated at an off-site location.</i>
4. Roadside Erosion Control Describe your program to detect and repair erosion along municipal roadways.
<i>Millstone Township DPW staff look for signs of roadside erosion during the course of normal DPW activities. If roadside erosion is noted corrective measures are taken as soon as possible. Depending on the nature and severity of the erosion vegetative plantings, riprap, or other measures may be implemented to promote soil stabilization.</i>

Form 9 – Municipal Maintenance Yards & Other Ancillary Operations
Part IV.F.5.

Please complete a separate Form 9 for each yard or site. Indicate the number of yards/sites the municipality owns or operates: 1

1. Site Name and Address	
<i>The Millstone Township Public Works Yard is located at located at 899 Perrineville Road.</i>	
2. Monthly Site Inspections	
Describe the nature of inspections conducted at this site and the location of inspection logs.	
<i>Millstone Township DPW staff conduct monthly inspections of the entire Public Works Yard to identify conditions that may contribute stormwater contaminants or otherwise negatively impact the MS4. Findings are documented in an inspection log that is kept on-site.</i>	
3. Inventory List	
List all materials and machinery that are potentially exposed to stormwater.	
Materials	Machinery/Equipment
	<i>DPW equipment</i>
	<i>DPW vehicles</i>
4. Discharge of Stormwater from Secondary Containment	
Describe the process in place for discharging stormwater from secondary containment areas where outdoor containers are stored.	
<i>Not applicable.</i>	

<p>5. Fueling Operations Does fueling occur on site? If so, describe the BMPs in place to minimize contamination of stormwater from fueling activities. If not, explain where fueling takes place.</p>
<p><i>The fueling station for Township vehicles is located at the Municipal Yard. A spill kit is kept on site in the event of a fuel spill.</i></p>
<p>6. Vehicle/Equipment Maintenance and Repair Do you perform maintenance and repair on site? Is this conducted indoors or outdoors? If outdoors, describe the BMPs in place to minimize contamination of stormwater from maintenance and repair activities.</p>
<p><i>Not applicable. Vehicle maintenance and repairs are provided by the Monmouth County Department of Public Works through a shared services agreement.</i></p>
<p>7. Wash Wastewater Containment Do you wash vehicles on site? If so, describe the BMPs in place to minimize contamination of stormwater from these activities. Note that on site containment structures require annual inspections by a NJ licensed professional engineer. If not, explain where vehicle washing takes place.</p>
<p><i>No vehicles are washed at the Municipal Yard. Vehicles in need of washing are taken to the Monmouth County Vehicle Wash Facility.</i></p>
<p>8. Salt and Other Granular De-icing Materials Do you store salt and other granular deicing materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.</p>
<p><i>Millstone Township maintains a storage shed for salt at the Municipal Yard. The storage area is inspected daily when salt and de-icing materials are present.</i></p>
<p>9. Aggregate Material, Wood Chips, and Finished Leaf Compost Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.</p>
<p><i>Aggregate materials are stored in bins at the Public Works Yard. Wood chips are stored at the Public Works Yard on a short-term basis. No finished leaf compost is stored at the Public Works Yard.</i></p>

<p>10. Cold Patch Asphalt Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.</p>
<p><i>Cold patch asphalt is stored at the Public Works Yard under cover on a short-term basis.</i></p>
<p>11. Street Sweepings and Storm Sewer Cleanout Materials Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.</p>
<p><i>Catch basin clean out material is stored at the Public Works Yard on a short-term basis.</i></p>
<p>12. Construction and Demolition Waste, Wood Waste, and Yard Trimmings Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.</p>
<p><i>No construction and demolition waste, wood waste, or yard trimmings are stored at the Public Works Yard.</i></p>
<p>13. Scrap Tires Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.</p>
<p><i>Scrap tires are stored at the Public Works Yard under cover on a short-term basis.</i></p>
<p>14. Inoperable Vehicles and Equipment Do you store inoperable vehicles or equipment on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater. If not, explain where they are stored.</p>
<p><i>Not applicable. No inoperable vehicles or equipment are stored at the Public Works Yard.</i></p>

Form 10 – Training

Part IV.F.6-10.

Stormwater Program Coordinators
Describe the training provided for the municipal Stormwater Program Coordinator.
<i>The Stormwater Program Coordinator (SPC) will receive the required NJDEP training for SPC responsibilities by January 1, 2026 and once per permit cycle thereafter.</i>

Topic	Municipal Employees
Examples: in-person or virtual group sessions, e-Learning, field trainings, and videos	
Describe the training provided for municipal staff.	
SPPP	<i>Annual training will be provided to appropriate municipal staff on the current SPPP and applicable recordkeeping requirements through in-person and/or virtual training sessions.</i>
Construction Site Stormwater Runoff	<i>The Construction Official will receive the proper NJDEP training to determine if a general or individual Construction Site Stormwater Runoff permit is required at a construction site. The training will be provided through in-person and/or virtual training sessions.</i>
Post-Construction Stormwater Management in New and Redevelopment	<i>Not applicable. The Township Engineer's office reviews and inspects all new development and redevelopment projects in Millstone Township.</i>
Community-wide Ordinances	<i>Annual training is provided to appropriate municipal staff on the stormwater related ordinances. The training includes a review of the requirements, enforcement, and the repercussions of non-compliance and will be through in-person and/or virtual training sessions.</i>
Community-wide Measures	<i>Annual training is provided to municipal staff that implement community-wide pollution prevention measures and good housekeeping measures to control solid and floatable materials. The training will be through in-person and/or virtual training sessions.</i>

Stormwater Facilities Maintenance	<i>Annual training is provided to municipal staff involved with the inspection, maintenance, and repair of Township owned or operated stormwater infrastructure. The training will be through in-person and/or virtual training sessions.</i>
Municipal Maintenance Yards and Other Ancillary Operations	<i>Annual training will be provided to appropriate municipal staff on implementing BMPs, good housekeeping measures, and conducting and documenting site inspections at the Municipal Maintenance Yard. The training will be through in-person and/or virtual training sessions.</i>
MS4 Mapping	<i>Not applicable. Staff from the Township Engineer's office will collect stormwater infrastructure GPS points and associated attributes that will be used to create the Millstone Township Stormwater Infrastructure Map.</i>
Outfall Stream Scouring	<i>Annual training is provided to municipal staff that inspect stormwater outfalls for stream scouring. The training will cover identification, remediation, and documentation of stream scouring through in-person and/or virtual training sessions.</i>
Illicit Discharge Detection and Elimination	<i>Annual training is provided to municipal staff that inspect stormwater outfalls for illicit discharges. The training will cover identification, elimination, and documentation of illicit discharges through in-person and/or virtual training sessions.</i>

Stormwater Management Design Reviewers
Describe the training provided for individuals responsible for reviews and approvals of stormwater management designs.
<i>All individuals that review and approve stormwater management designs for major development projects in Millstone Township must complete the NJDEP Stormwater Management Design Review training course at a minimum of once every 5 years.</i>

Municipal Board and Governing Body Members

Describe the training provided for members of the planning/zoning board and municipal council.

Within 6 months of taking office, members of the Millstone Township Planning Board and members of the Millstone Township Committee will complete the “Asking the Right Questions in Stormwater Review” online training tool provided by NJDEP at <https://dep.nj.gov/stormwater/stormwater-training/>.

Once per term of service thereafter, members of the Millstone Township Planning Board and members of the Millstone Township Committee will review at least one of the training tools offered under Post-Construction Stormwater Management found at <https://dep.nj.gov/stormwater/stormwater-training/>.

Training Records

Indicate the location of training records for the above required training.

Training records for the Millstone Township Committee and the Millstone Township Planning Board are kept on file in the Township Clerk’s office.

Form 11 – MS4 Mapping
Part IV.G.1.

1. Provide a link to the most current MS4 outfall/infrastructure map.	
<p><i>The Millstone Township Stormwater Outfall maps are posted at: https://www.millstonenj.gov/stormwater-management.</i></p>	
2. Indicate the total of each type of MS4 infrastructure listed below (due 01 Jan 2026).	
a. MS4 outfalls	266
b. MS4 ground water discharge points (basins or overland flow infiltration areas)	TBD
c. MS4 interconnections	TBD
d. MS4 storm drain inlets	TBD
e. MS4 manholes	TBD
f. Length of conveyance (channels, pipes, ditches, etc.)	TBD
g. MS4 pump stations	TBD
h. MS4 stormwater facilities (any that are not listed above)	TBD
i. Maintenance yard(s) and other ancillary operations	1
3. Describe how the municipality’s outfall/infrastructure map is reviewed and updated to reflect any new or newly identified MS4 infrastructure (e.g., an outfall is closed, a new basin is constructed, ownership of an outfall has changed, etc.).	
<p><i>Before the end of each year, the Township Engineer’s office reviews the current Stormwater Outfall Map for accuracy. Map revisions are made if there are new or newly identified outfalls or any other significant changes.</i></p>	
4. Describe how the municipality will create and update its MS4 Infrastructure Map.	
<p><i>Staff from the Township Engineer’s office are in the process of collecting GPS points and associated attributes for all Township owned or operated MS4 infrastructure. The data collected will be used to create a Stormwater Infrastructure Map for Millstone Township.</i></p> <p><i>The final Stormwater Infrastructure Map will be submitted electronically to NJDEP as a georeferenced shapefile on or before January 1, 2026. The approved Stormwater Infrastructure Map will be posted on the Township’s stormwater webpage and included as a weblink within the SPPP. The MS4 Infrastructure Map will be reviewed and updated annually or more frequently if necessary.</i></p>	

Form 12 – Watershed Improvement Plan

Part IV.H.

1. Describe how your municipality is developing its Watershed Improvement Plan.
<p><i>Staff from the Township Engineer's office are in the process of collecting the requisite data for the Watershed Inventory Report. The Watershed Inventory Report is Phase 1 of the Watershed Improvement Plan and will be submitted to NJDEP on or before January 1, 2026.</i></p>
2. Describe any regional projects or collaboration efforts with other municipalities.
<p><i>None at this time.</i></p>
3. Indicate the location of records related to all public information sessions and meetings for discussions of the Watershed Improvement Plan.
<p><i>All records related to Watershed Improvement Plan public information sessions and meetings will be kept on file in the Township Clerk's office.</i></p>

FACILITY SUBMITTAL SUMMARY

Service Specific Information

Service ID: 1759234
Application Name: Millstone FY2024 Stormwater Pollution Prevention Plan
Comments:
Type of Submission: Stormwater Document Submittal

Facility Profile

Facility ID: 207620
Facility Name: MILLSTONE TWP
County: Monmouth
Facility Location:
470 STAGE COACH RD
Millstone Twp, NJ 08510
Mailing Address:
470 STAGE COACH RD
Millstone Twp, NJ 08510

Coordinates Grid:

X-Coord	Y-Coord	Coordinate System
508345	494519	NJ State Plane (NAD83) - USFEET

Contacts

Name: Peter Avakian
Title: Professional Engineer
Contact Type: Submitter
Organization Name: Leon S. Avakian, Inc.
Organization Type: Private
E-Mail: mmariano@leonsavakian.com
Phone: (732) 922-9229 x18 (Work Phone Number)
Contact Address: 788 Wayside Road
Neptune, New Jersey 07753

Activities

Activity Number	Activity Type	Status	Status Date	Document Title
DST230001	Stormwater Discharge	Approved	12/01/2023	NJPDES Permit Document Set

Activity Number	Activity Type	Status	Status Date	Document Title
	GPA Modification			

Attachment Specific Information

Attachment Name	File Name	Document Type	Sub Doc Type	Document Date
SPPP	08122024 MS24-07 NJDEP Tier A Stormwater Pollution Prevention Plan.pdf	Plan	Plan	08/21/2024

Certification

Certifier: Peter Avakian
Certifier ID: PETERRAVAKIAN
Challenge/Response Question: What is your father's middle name?
Challenge/Response Answer: *****
Certification PIN: *****
Date/Time of Certification: 08/21/2024 08:38

"I certify under penalty of law that I believe the information provided in this document is true, accurate, and complete. I am aware that there are significant civil and criminal penalties, including the possibility of fine or imprisonment or both, for submitting false, inaccurate or incomplete information."

Peter Avakian 08/21/2024
General **Date**

Matt Mariano

From: njdeponlinesupport@dep.nj.gov
Sent: Wednesday, August 21, 2024 8:40 AM
To: Matt Mariano
Subject: Additional Information Received ; File No. 207620 - MILLSTONE TWP - DST230001

The additional NJPDES Stormwater documentation submitted via DEP Online has been received for processing. Your NJPDES Stormwater permit writer has been notified that information has been submitted for your permit. The information regarding your submission is listed below:

SERVICE ID: 1759234
PROJECT NAME: MILLSTONE TWP
PROGRAM INTEREST ID: 207620
ACTIVITY NUMBER: DST230001

Listed below you will find a receipt of all attachments you uploaded to the Stormwater Document Submittal.

Attachment File Names:

1: 08122024 MS24-07 NJDEP Tier A Stormwater Pollution Prevention Plan.pdf

Email Control ID: WQ01-40890110